




## SNR Bearing Argentina



25,000 mm x 52,000 mm x 15,000 mm NTN  
NJ205 cylindrical roller bearings

Bearing No. NJ205

NJ205 Bearing 2D drawings and 3D CAD models

Size	25x52x15 mm
Bore Diameter	25,000 mm
Outer Diameter	52,000 mm
Width	15,000 mm
d	25,000 mm
D	52,000 mm
B	15,000 mm
C	15,000 mm
Category	Cylindrical Roller Bearings
Inventory	0.0
Manufacturer Name	NTN
Minimum Buy Quantity	N/A
Weight / Kilogram	0.14
Product Group	B04144
Bore Profile	Straight
Cage Material	Steel
Precision Class	RBEC 1   ISO P0
Number of Rows of Rollers	Single Row
Separable	Inner Ring - One Side
Rolling Element	Cylindrical Roller Bearing
Profile	Complete with Outer and Inner Ring
Snap Ring	No
Internal Clearance	C0-Medium
Retainer	Yes
Relubricatable	Yes



## SNR Bearing Argentina

Inch - Metric	Metric
Other Features	1 Rib Inner Ring   2 Rib Outer Ring   Cage On Outer Ring ID
Long Description	25MM Bore; Straight Bore Profile; 52MM Outside Diameter; 15MM Width; Steel Cage Material; RBEC 1   ISO P0; Single Row; Inner Ring - One Side Separable; No Snap Ring; Relubricatable; C0-Medium Intern
Category	Cylindrical Roller Bearing
UNSPSC	31171547
Harmonized Tariff Code	8482.50.00.00
Noun	Bearing
Manufacturer URL	<a href="http://www.ntnamerica.com">http://www.ntnamerica.com</a>
Manufacturer Item Number	NJ205
Weight / LBS	0.309
Bore	0.984 Inch   25 Millimeter
Outside Diameter	2.047 Inch   52 Millimeter
Width	0.591 Inch   15 Millimeter
bore diameter:	25 mm
precision rating:	ISO Class 0
outside diameter:	52 mm
maximum rpm:	16000 rpm
overall width:	15 mm
bearing material:	Hardened Alloy Steel
flanges:	(2) Outer Ring, (1) Inner Ring
cage material:	Pressed Steel
bore type:	Straight
finish/coating:	Uncoated
number of rows:	1



## SNR Bearing Argentina

closure type:	Open
internal clearance:	CN
outer ring width:	15 mm
ring separation:	Non-Separable
fillet radius:	1 mm
operating temperature range:	-40 to 120 ° C
series:	NJ
dynamic load capacity:	29300 N
manufacturer product page:	<a href="#">Click here</a>
static load capacity:	27700 N