




# SNR Bearing Argentina

40 mm x 68 mm x 9 mm NSK 54208U thrust ball bearings

Bearing No. 54208U



54208U Bearing 2D drawings and 3D CAD models

Size	40x68x44 mm
Bore Diameter	40 mm
Outer Diameter	68 mm
Width	44 mm
d	40 mm
d2	30 mm
D	68 mm
T	44 mm
T2	26,5 mm
b	7 mm
d3	68 mm
r min.	1 mm
r1 min.	0,6 mm
A1	25 mm
B	9 mm
D1	42 mm
D2	55 mm
D3	72 mm
R	56 mm
Da max.	55 mm
ra max.	1 mm
rb max.	0,6 mm
Weight	0,713 Kg
Basic dynamic load rating (C)	47,5 kN
Basic static load rating (C0)	98,5 kN



## SNR Bearing Argentina

(Grease) Lubrication Speed	2600 r/min
Category	Thrust Ball Bearing
Inventory	0.0
Manufacturer Name	NSK
Minimum Buy Quantity	N/A
Weight / Kilogram	0
Product Group	B00308
Rolling Element	Ball Bearing
Thrust Bearing	Yes
Single or Double Direction	Double Direction
Banded	No
Cage Material	Steel
Precision Class	Non-Precision
Component Description	Roller Assembly Plus Raceways with Aligning Washer
Other Features	Double Row   With Aligning Seat
Long Description	30MM Bore 1; 42MM Bore 2; 72MM Outside Diameter; 38.6MM Height; Ball Bearing; Double Direction; 44MM Overall Height with Aligning Washer; Not Banded; Steel Cage; Non-Precision
Inch - Metric	Metric
Category	Thrust Ball Bearings
UNSPSC	31171552
Harmonized Tariff Code	8482.10.50.08
Noun	Bearing
Keyword String	Ball Thrust
Manufacturer URL	<a href="http://www.nskamericas.com">http://www.nskamericas.com</a>
Weight / LBS	1.19711
Outside Diameter	2.835 Inch   72 Millimeter



## SNR Bearing Argentina

Bore 2	1.654 Inch   42 Millimeter
Height	1.52 Inch   38.6 Millimeter
Overall Height with Aligning Washer	1.732 Inch   44 Millimeter
Bore 1	1.181 Inch   30 Millimeter